


Operating Instructions

Wall saw WSE1217★★★

Index 000





Congratulations!

With a Hydrostress unit from TYROLIT, you have chosen a tried and tested piece of equipment which has been designed and built to leading technical standards. Only genuine TYROLIT Hydrostress replacement parts can guarantee quality and interchangeability. If maintenance work is neglected or carried out inexpertly we will be unable to honour our warranty obligations. Any repair work must be carried out by trained personnel only.

Our aftersales service is available to help ensure that your TYROLIT Hydrostress units remain in perfect working order.

We hope that working with your TYROLIT unit will be a satisfying and fault-free experience.

TYROLIT Hydrostress

Copyright © TYROLIT Hydrostress

TYROLIT Hydrostress AG Witzbergstrasse 18 CH-8330 Pfäffikon Switzerland Tel. 0041 (0) 44 952 18 18 Fax 0041 (0) 44 952 18 00

Page 2 Wall saw WSE1217★★★

1 Safety



These instructions are just one part of the documentation which is supplied together with the wall saw. These instructions go together with the «Safety Manual / System Description for Wall Saws» to form a complete set of documentation.



DANGER

Failure to comply with the safety instructions in the "Safety Manual / System Handbook" may result in serious injury or even death.

▶ Please ensure that the «Safety Manual / System Description for Wall Saws» has been read and understood in full.



DANGER

Cuts from the saw blade.

- Always wear protective gloves when working on the wall saw, particularly when working on the saw blade.
- Always use the blade guard when operating the wall saw.



DANGER

Serious injury or material damage as a result of uncontrolled movements of the wall saw.


▶ Never connect or disconnect cables when the control unit is switched on.

2 Description

2.1 Wall saw system

The design and function of the wall saw systems are described in the "Safety Manual / System Description for Wall Saws".

2.2 Wall saw



Components


- 1 Guide roller
- 2 Lock unit
- 3 Water supply line
- 4 Blade guard holder
- 5 Geared swivel arm
- 6 Water Bypass
- 7 Saw blade holder
- 8 Carrying handle
- 9 Blade drive motor cable

- 10 Feed motor cable
- 11 Chassis
- 12 Carrying handle / lock unit
- 13 Identification plate Blade drive motor
- 14 Blade drive motor
- 15 Feed motor, travel
- 16 Water connection
- 17 Feed motor, swivel

Page 4 Wall saw WSE1217★★★


3 Assembly / Disassembly

3.1 Place the wall saw on the guide rail




2. If the grips fail to engage or the wall saw sits too loosely on the guide rail: adjust the guide rollers.

3.2 Adjusting the guide rollers



* The guide rollers are set correctly when they align in the guide groove and it is possible to turn them by hand.

3.3 Mounting the drive motor



3.4 Mounting the saw blade



DANGER

It can cause death or serious injury if the saw blade flies away.

▶ Only use original screws and bolts from TYROLIT Hydrostress AG.



DANGER

Serious injury can be caused by sudden start-up of the saw blade.

- ▶ Switch off the control unit before working on the saw blade.
- ▶ Isolate the control unit from the mains supply.

3.4.1 Preparations for assembly

▶ During initial installation, remove the flush cut anchoring screws on the quick-release flange.


Page 6

3.4.2 Preassemble the saw blade unit




The direction of rotation of the saw blade must match the direction of rotation of the machine. Correct alignment: Countersinking of the fastening holes against the blade cover.


For normal cuts with saw blades up to Ø 1,000 mm



For normal cuts with saw blades bigger than Ø 1,000 mm



For flush cuts




3.4.3 Fastening the saw blade unit



DANGER

It can cause death or serious injury if the saw blade flies away.

- ► Check whether the sleeve and central screw are countersunk.
- ▶ Tighten the central screw to a torque of 60 Nm.



Page 8 Wall saw WSE1217★★★


3.5 Removing the saw blade unit



WARNING


Injuries can be caused if the saw blade drops down.

▶ Lift out the saw blade unit to the top when removing it.



2. Disassemble the saw blade unit in the reverse order to the assembly process.


3.6 Mounting the blade guard



▶ Mount the blade guard according to the instruction leaflet.

3.7 Connecting the wall saw to the control unit

- ✓ The control unit is isolated from the power supply.
- ✓ Connectors/plugs are clean.
- ✓ Cables are undamaged.




Page 10

3.8 Water

Wet and dry cutting



The wall saw WSE1217 \star \star can be used for wet and dry cutting.



- A Wet cutting
- B Dry cutting

Dry cutting



For dry cutting, the water is led away via a bypass. When dry cutting, continuous operation is not possible, because otherwise the gearbox will overheat. After using for a $\frac{1}{4}$ hour, a $\frac{1}{2}$ hour break must be maintained for cooling.



For dry cutting, special TYROLIT diamond saw blades must be used.


4 Maintenance and servicing

| Maintenance a | nd servicing table | 1 | | | | | _, |
|---------------|--|-----------------------------------|----------------|--------|--------|--------------|--------------|
| | | Before every commissioning | At end of work | Weekly | Yearly | After faults | After damage |
| Wall saw | Retighten loose bolts and nuts (re- fer to the tightening torque specifi- cations) | Х | | | | X | Х |
| | ► Clean * | | Х | | | | |
| Lock unit | ► Clean latching recesses and guide grooves * | Х | Х | | | Х | Х |
| | ► Lubrication | | | X | | X | X |
| Guide rollers | ► Check the bearing clearance for wear | Х | Х | | | Х | Х |
| | ► Clean * | Х | Х | | | Х | Х |
| | ► Replace | | | | | | Х |
| Swivel arm | ► Check the saw blade uptake for wear | Х | | | | Х | Х |
| | ► Replace the gear oil | Every 10 | 00 h | ' | • | • | • |
| Feed motor | ► Check cleanliness * | x x x | | | | | |
| Drive motor | ► Check cleanliness * | Х | Х | | | Х | Х |
| Water supply | Check the water line for cleanliness and leak-tightness | Х | | | | Х | Х |
| | ▶ Blow out water | | Х | | | | |
| Saw blade | ► Clean with water | | Х | | | | |
| | ► Check for wear | Х | Х | | | Х | Х |
| Service | ➤ To be performed by TYROLIT Hydros- tress AG or an authorised workshop | After 100 / 300 / 500 / 700 hours | | | | | |

^{*} Clean with damp cloth no high pressure cleaner!

Page 12 Wall saw WSE1217★★★

4.1 Lubricating the lock unit




4.2 Changing the gear oil




The use of unsuitable oil can damage the wall saw.

▶ Use only TYROLIT Hydrostress AG oil containers (no. 10981362, 10 dl).




4.3 Replacing the guide rollers



▶ Defective guide rollers should be replaced with replacement set no. 10977911.

5 Technical data

5.1 Dimensions



Measurements in mm

5.2 Design

| Design | |
|---------------------------|---|
| Parameter | Value |
| Construction | Light aluminium/steel construction |
| Rotatable swivel arm | 360° |
| Power transmission | Toothed wheel |
| Carrying handle | 2-pieces, with locking function |
| Guide rollers | Low-wearing, suitable for all VS and VAS rails |
| Rail mounting | Locking and safety function on carrying handle |
| Main motor | High-frequency, water-cooled, with quick-release device |
| Feed motor / swivel motor | Electric motor with gears and brake |
| Flush cutting | Quick-release flange ST without blade cover |
| Normal cutting | Quick-release flange ST with blade cover |
| Water | Water connection on chassis |
| Protection class | IP67 |

Page 14 Wall saw WSE1217★★★

5.3 Weight

| Weight | |
|------------------------|-------|
| Parameter | Value |
| Wall saw head complete | 22 kg |
| Drive motor | 15 kg |

5.4 Blade drive motor

| Blade drive motor | | |
|-------------------|------------------------------|--|
| Parameter | Value | |
| Electric motor | High-frequency, water-cooled | |
| Voltage | 400 V | |
| Frequency | 50 - 400 Hz | |

5.5 Feed motor, travel

| Electric feed motor with gears and brake | | |
|--|-----------------------|--|
| Parameter | Value | |
| Gear reduction | 1:256 | |
| Voltage | 48 V | |
| Feed | Toothed wheel on rail | |

5.6 Feed motor, swivel

| Electric feed motor with gears and brake | | |
|--|-------|--|
| Parameter | Value | |
| Gear reduction | 1:256 | |
| Voltage | 48 V | |
| Swivel range (swivel arm) | 360° | |

5.7 Noise level

| Noise data according to ISO 3744 | | |
|--|---------------|--|
| Parameter | Value | |
| Sound pressure level L _{pA} | 77.5 dB (A) * | |
| Highest value of sound pressure L pCpeak | 116.2 dB | |
| Acoustic power level L WA | 97.5 dB (A) * | |

Conditions for the measurement:

^{*} Saw blade Ø1,200 mm not in cutting operation under full load

5.8 Saw blades

| Saw blades | | |
|--|------------|--|
| Parameter | | Value |
| Saw blade max. | | Ø 1,200 mm |
| Fully detachable saw blade | | Ø 800 mm |
| Blade holder | | Ø 60 mm |
| Blade flange mounting at wall sav | v | Quick-release flange ST |
| Saw blade fixing on blade flange (also for flush cuts) | | 6 countersunk head screws reference circle 130 mm |
| Blade cover mounting on blade fla | ange | 2 hexagonal bolts |
| Cutting depth | Ø 650 mm | 230 mm |
| | Ø 800 mm | 320 mm |
| | (Ø 900 mm) | (350 mm) |
| | Ø 1,000 mm | 420 mm |
| | Ø 1,200 mm | 520 mm |

5.9 Lubricants, fluids and sealants

| Lubricants, fluids and sealants | | | |
|----------------------------------|-------------|---|--|
| Parameter | | Value | |
| Gear oil (swivel arm) | | Klüber GEM 4-150 N (TYROLIT No. 10981362) | |
| Lubricating grease (lock unit) | Penetration | 265 to 295 | |
| | NLGI | 2 | |
| Lubricating grease (swivel gear) | Penetration | 400 to 430 | |
| | NLGI | 00 | |

5.10 Connectable control units

The wall saw must only be operated with the coordinated control units from TYROLIT Hydrostress.

| Control unit | |
|--------------|--|
| Parameter | Туре |
| Control unit | WSE1217★★★ (Ø650 / Ø800 / Ø1,000 / Ø1,200) |

| Water connection | | |
|------------------|-------------------------|--|
| Parameter | Value | |
| Pressure | min. 2 bar / max. 6 bar | |
| Quantity | At least 4 l/min | |
| Max. temperature | 25 ℃ | |

EC declaration of conformity

Description Wall saw

Type designation WSE1217★★★

Year of construction 2011

We declare under our sole responsibility that this product complies with the following directives and standards:

Directive applied

2006/42/EC from 17th May 2006 2004/108/EC from 17th December 2004

Applied standards

EN 15027/A1:2009

EN 12100:2010

EN 60204-1/A1:2009

EN ISO 3744:2010

EN 55014-1/A1:2009

EN 55014-2/A2:2008

EN 6100-3-11:2000

EN 6100-3-12:2005

TYROLIT Hydrostress AG Witzbergstrasse 18 CH-8330 Pfäffikon Switzerland

Pfäffikon, 28.04.2011

Pascal Schmid

Head of Development